

**Haemophilus Influenzae Type B  
Immunization Requirements  
For Day Care (DC) and Head Start (HS)  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS	Age appropriate
Alaska	DC, HS	Age appropriate
Arizona	DC, HS	4 doses or age appropriate
Arkansas	DC, HS	Age appropriate
California	DC, HS	1 dose on or after 1st birthday
Colorado	DC, HS	3 doses age appropriate or 1 dose after 15 months
Connecticut	DC, HS	Age appropriate
Delaware	DC, HS	Advisory Committee on Immunization Practices (ACIP) recommendations
Dist. of Col.	DC, HS	3 or 4 doses depending on manufacturer; if off schedule, less doses may be required based on age
Florida	DC, HS	Age appropriate
Georgia	DC, HS	4 doses or age appropriate
Hawaii	DC, HS	1 dose on or after 1st birthday
Idaho	DC	3 doses or age appropriate
Illinois	DC, HS	Age appropriate or at least 1 dose after 15 months
Indiana	DC, HS	1 dose on or after 1st birthday
Iowa	DC, HS	2-18 months: at least 1 dose required; 18 months or older: 3 doses required; or 1 dose after 15 months of age
Kansas	DC, HS	Age appropriate
Kentucky	DC, HS	Age appropriate, or at least one dose after 15 months
Louisiana	DC, HS	Age appropriate
Maine	DC, HS	Age appropriate
Maryland	DC, HS	Age appropriate
Massachusetts	DC, HS	3 or 4 doses depending on vaccine; age appropriate
Michigan	DC, HS	Age appropriate, or at least 1 dose after 15 months
Minnesota	DC, HS	Age appropriate
Mississippi	DC, HS	Age appropriate
Missouri	DC, HS	Age appropriate
Montana	DC, HS	Age appropriate
Nebraska	DC, HS	Age appropriate up to 3 doses
Nevada	DC, HS	Age appropriate
New Hampshire	DC, HS	Age appropriate
New Jersey	DC, HS	< 1 year: 2 doses; or at least 1 dose after 12 months
New Mexico	DC, HS	At least 1 dose at 15-59 months of age
New York	DC, HS	Age appropriate or at least 1 dose after 15 months of age
North Carolina	DC, HS	Age appropriate; >15 months to 5 years of age: 1 dose
North Dakota	DC, HS	Age appropriate
Ohio	DC, HS	Age appropriate
Oklahoma	DC, HS	Age appropriate
Oregon	DC, HS	Up to 4 doses depending on age at time of previous dose
Pennsylvania	DC, HS	Age appropriate
Puerto Rico	DC, HS	At least one if received after 15 months of age
Rhode Island	DC, HS	Age appropriate
South Carolina	DC, HS	Age appropriate
South Dakota	DC, HS	HS: 1 dose after 1st birthday; DC: age appropriate
Tennessee	DC, HS	Age appropriate
Texas	DC, HS	3 doses-age appropriate, or 1 dose after 15 months
Utah	DC, HS	Age appropriate
Vermont	DC, HS	Age appropriate
Virginia	DC, HS	DC (2-30 months): age appropriate
Washington	DC, HS	Age appropriate
West Virginia	DC	1 dose
Wisconsin	DC, HS	5-11 months of age: 2 doses, 12 months-4 years of age: 3 doses
Wyoming	DC, HS	18-60 months: 1 dose