



# 2001-2002 State Immunization Requirements

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR DISEASE CONTROL AND PREVENTION

# Table of Contents

Table of Immunization Requirements (K - 12) . . . . .	7
Table of DTaP Requirements for Day Care and Head Start . . . . .	8
Map of DTaP Requirements for Day Care and Head Start . . . . .	9
Table of DTaP Requirements for Grades K-12 . . . . .	10
Map of DTaP Requirements for Grades K-12 . . . . .	11
Table of MMR Requirements for Day Care, Head Start, and Grades K-12 . . . . .	12
Map of MMR Requirements for Day Care, Head Start, and Grades K-12 . . . . .	13
Table of Second Dose Measles Requirements for Grades K-12 . . . . .	14
Map of Second Dose Measles Requirements for Grades K-12 . . . . .	15
Table of Polio Requirements for Day Care and Head Start . . . . .	16
Map of Polio Requirements for Day Care and Head Start . . . . .	17
Table of Polio Requirements for Grades K-12 . . . . .	18
Map of Polio Requirements for Grades K-12 . . . . .	19
Table of Hib Requirements for Day Care and Head Start . . . . .	20
Map of Hib Requirements for Day Care and Head Start . . . . .	21
Table of Hepatitis B Requirements for Day Care, Head Start, and Grades K-12 . . . . .	22
Map of Hepatitis B Requirements for Day Care, Head Start, and Grades K-12 . . . . .	23
Table of Varicella Requirements for Day Care, Head Start and Grades K-12 . . . . .	24
Table of Hepatitis A Requirements for Day Care, Head Start, and Grades K-12 . . . . .	25
Table of College Immunization Requirements for any Vaccine . . . . .	26
Map of College Immunization Requirements . . . . .	27
Physician Diagnosis of Disease as Evidence of Immunity . . . . .	28
Immunization Documentation Requirements for Day Care, Head Start, K-12, and College . . . . .	29
Exemptions from Immunization Requirements for Day Care, Head Start, K-12, and College . . . . .	30
Enforcement of Immunization Requirements for Day Care, Head Start, K-12, and College . . . . .	31
Requirements for Rubella Susceptibility Testing and Immunization of Specific Groups . . . . .	32
HBsAg Screening of Pregnant Women and Reporting Requirements . . . . .	33
Table Pneumococcal Conjugate or Polysaccharide Vaccine Immunization Requirements For Day Care and Head Start . . . . .	34
Map Pneumococcal Conjugate or Polysaccharide Vaccine Immunization Requirements For Day Care and Head Start . . . . .	35



# **2001-2002**

## **State Immunization Requirements**

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR DISEASE CONTROL AND PREVENTION



## **FOREWORD**

This publication presents state and project immunization policies that were validated in February 2002. It reflects state laws, regulations, or rule making that impose vaccination requirements for enrollment and/or attendance in day care, Head Start, kindergarten, grades 1 through 12, colleges and universities. Also reported are policies for pre-marital and hospital employee screening for rubella susceptibility and the screening of pregnant women for Hepatitis B surface antigen positivity and the reporting of same.

The policies are vaccine specific and catalogued by state and are presented in both table and map formats. Because there are many state variances in requirements, narrative descriptions referencing age and dose requirements are also included.

This information represents the collaborative efforts of immunization program managers and staff in the 50 states, the District of Columbia, and the Commonwealth of Puerto Rico and staff from the Centers for Disease Control and Prevention's National Immunization Program.

Dean Mason  
Chief, Program Support Branch  
Immunization Services Division  
National Immunization Program



## Table of Immunization Requirements (K-12)

	Required For All Grades				Not Required Or Requirements For Specific Grades Noted					
State	Diphtheria	Tetanus	Pertussis*	Measles	Mumps	Rubella	Hepatitis A	Hepatitis B	Varicella	Polio
Alabama										
Alaska									K	
Arizona								K-3, 7-8		
Arkansas					1 dose after 1st bday			K, 7, T	K	
California								7		
Colorado								K-4, 7-11	K-1	
Connecticut								K, 7-8	7	
Delaware										
Dist. of Col.										K-12
Florida								PK, K-3, 7-11		PK, K
Georgia								New Entrants	New Entrants, 6	
Hawaii										K, New Entrants
Idaho										
Illinois								5-9		
Indiana								K-2		
Iowa								K		
Kansas										
Kentucky								6		
Louisiana	New Entrants	New Entrants	New Entrants	New Entrants	New Entrants	New Entrants				New Entrants
Maine										
Maryland										
Maryland								K	K	
Massachusetts								K-5, 7-9	K-2, 7-9	
Michigan	New Entrants	New Entrants	New Entrants	New Entrants	New Entrants	New Entrants		New Entrants	2002-03 school year	New Entrants
Minnesota								K, 7		
Mississippi										
Missouri										
Missouri								K-4, 7-9		
Montana										
Nebraska										
Nevada										
New Hampshire										
New Jersey								K-1, 6		
New Mexico							K-1	7	K	
New York		K	K							
North Carolina										New Entrants
North Dakota								K-1		
Ohio									K-2	
Oklahoma							K-3, 7-10	K-3, 7-11	K-3	
Oregon								K-3, 7-8	K-1, 7-8	
Pennsylvania								New entrants, K-1		
Puerto Rico										
Rhode Island								K-7	K, 7	
South Carolina								K-4, 7-11	K-1	
South Dakota										
Tennessee								K		
Texas										
Utah									K-2	
Vermont									7-9	
Virginia								K, 6		
Washington									K-4	
West Virginia	New Entrants	New Entrants	New Entrants							New Entrants
Wisconsin								K-4, 7-11	K	
Wyoming								K-2, 7-10		

\*Pertussis vaccine is only required through age 6 years


**Diphtheria, Tetanus, and Acellular Pertussis\* Immunization  
Requirements for Day Care (DC) and Head Start (HS)  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS	Age appropriate
Alaska	DC, HS	Less than or equal to 6 years of age appropriate up to 4 doses
Arizona	DC, HS	4 doses or age appropriate
Arkansas	DC, HS	Age appropriate
California	DC, HS	4 doses for 2-4 years of age
Colorado	DC, HS	<18 months: age appropriate; >18 months: 4 doses
Connecticut	DC, HS	<18 months: age appropriate; >18 months: 4 doses
Delaware	DC, HS	4 doses, 5 if 4th dose is before 4th birthday
Dist. of Col.	DC, HS	4 doses prior to 4 years of age; 5 doses after 4th birthday
Florida	DC, HS	Age appropriate
Georgia	DC, HS	Age appropriate
Hawaii	DC, HS	4 doses or age appropriate
Idaho	DC, HS	DC: 4 doses or age appropriate; HS: 4 doses diphtheria and tetanus
Illinois	DC, HS	3 doses by age one year; 4 doses if 24 months of age or older
Indiana	DC, HS	2-6 years of age: 4 doses; 6-23 months: 3 doses
Iowa	DC	3 doses
Kansas	DC, HS	4 doses, 5th dose if 4th dose before 4th birthday
Kentucky	DC, HS	DC: Age appropriate; HS: 4 doses with last booster after 4th birthday
Louisiana	DC; HS	Age appropriate
Maine	DC, HS	Age appropriate
Maryland	DC, HS	≤6 years of age: 4 doses; 7 years of age or older: 3 doses Td
Massachusetts	DC, HS	4 doses; age appropriate
Michigan	DC, HS	Age appropriate
Minnesota	DC, HS	Under 15 months: age appropriate; 15 months - 4 years: 4 doses; ≥4 years: 5 doses
Mississippi	DC, HS	Age appropriate
Missouri	DC, HS	Age appropriate
Montana	DC, HS	4 doses before age 4; +1 dose after age 4
Nebraska	DC, HS	Age appropriate up to 4 doses
Nevada	DC, HS	Age appropriate
New Hampshire	DC, HS	Age appropriate; booster 8-12 months after 3rd dose
New Jersey	DC, HS	4 doses or age appropriate; or any 5 doses
New Mexico	DC, HS	4 doses if begun before 7 years of age with 1 dose after 4 years of age; 3 doses Td if begun after 7 years of age
New York	DC, HS	3 doses age appropriate
North Carolina	DC, HS	5 doses: 4 doses by 19 months of age; booster dose after 4 years of age and before school entry
North Dakota	DC, HS	Age appropriate
Ohio	DC, HS	4 doses
Oklahoma	DC, HS	Age appropriate
Oregon	DC, HS	4 doses or age appropriate for diphtheria and tetanus; pertussis not required
Pennsylvania	DC, HS	Age appropriate
Puerto Rico	DC, HS	Age appropriate
Rhode Island	DC, HS	DC: age appropriate, HS: 4 doses
South Carolina	DC, HS	Age appropriate
South Dakota	DC, HS	Age appropriate for all children entering early childhood programs
Tennessee	DC, HS	Age appropriate for all attendees
Texas	DC, HS	Age appropriate up to 4 doses with 1 dose after 4th birthday
Utah	DC, HS	Age appropriate
Vermont	DC, HS	Age appropriate
Virginia	DC, HS	3 doses minimum or age appropriate
Washington	DC, HS	Age appropriate
West Virginia	DC	Age appropriate
Wisconsin	DC, HS	5-11 months: 2 doses; 12-23 months: 3 doses; 2-4 years of age: 4 doses
Wyoming	DC, HS	4 doses for all children over 18 months of age

\*Pertussis vaccine is only required through age 6 years



# DIPHTHERIA, TETANUS AND ACCELLULAR PERTUSSIS IMMUNIZATION REQUIREMENTS FOR DAY CARE AND HEAD START, 2001-2002 SCHOOL YEAR




**Diphtheria, Tetanus, and Acellular Pertussis\*  
Immunization Requirements For Grades K-12  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	K-12	4 doses, 1 dose after 4th birthday; 10 year Td booster
Alaska	K-12	At least 4 doses; 1 dose after 4th birthday
Arizona	K-12	4 doses; 5 doses if 4th dose before 4th birthday; 10 year Td booster
Arkansas	K-12	3 doses, 1 dose after 4th birthday
California	K-12	4 doses, 4th dose after 2nd birthday
Colorado	K-12	5 doses for new entrants; if a dose has been given after 4 <sup>th</sup> birthday, then 4 doses
Connecticut	K-12	4 doses, 1 dose after 4th birthday
Delaware	K-12	4 doses; 5 doses if 4th dose before 4th birthday
District of Columbia	K-12	5 doses thru 6 years of age unless 4th dose given after 4th birthday; 3 doses after 6 years of age
Florida	K-12	5 doses unless 4th dose after 4th birthday, then 4 doses
Georgia	K-12	3 doses, 1 dose after 4th birthday
Hawaii	K-12	5 doses; or 4 doses if 4th dose given after 4th birthday; 3 doses Td if started after 7 years of age
Idaho**	K-12	4 doses DT; pertussis not required
Illinois	K-12	4 doses; 1 dose after 4 <sup>th</sup> birthday for kindergarten entry; 3 doses for other grades; 10 year Td booster
Indiana	K-12	K-1: 4 doses; grades 2-12: 3 doses
Iowa	K-12	3 doses, 1 dose after 4th birthday
Kansas	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td if completed after 7 years of age
Kentucky	K-12	4 doses, 1 dose after 4th birthday; 3 doses if 3rd dose after 7 years of age; 10 year Td booster
Louisiana	New Entrants	4-5 doses, 1 dose after 4th birthday
Maine**	K-12	Age appropriate
Maryland	K-12	4 doses: 3 doses Td if 7 years of age or older
Massachusetts	K-12	K: $\geq 5$ doses unless 4th after 4th birthday; Grades 1-12: $\geq 4$ doses, or $\geq 3$ doses of Td; Grades 10-12: Td booster
Michigan	New Entrants	4 doses, 1 dose after 4th birthday; 3 doses Td if started after age 7; 10 year Td booster for all 6 <sup>th</sup> grade beginning 2002-03 school year
Minnesota	K-12	5 doses unless 4th dose after 4th birthday; Td booster at 11+ years of age for grades 7 - 12
Mississippi	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td after 7 years of age
Missouri	K-12	K-2: 4 doses, last dose after 4th birthday; Grades 3-12: 3 doses, last dose after 4th birthday
Montana	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td if started after 7 years of age
Nebraska	K-12	3 doses
Nevada	K-12	4 doses, 1 dose after 4th birthday
New Hampshire	K-12	4 doses, 1 dose after 4th birthday; 10 year Td booster
New Jersey	K-12	4 doses, 1 dose after 4th birthday or any 5 doses; 3 doses Td for 7 years of age or older
New Mexico	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td for 7 years of age or older
New York**,***	K-12	3 doses diphtheria only; T and P not required; NYC: 4 doses of DTP required
North Carolina	K-12	5 doses: 1 dose after 4th birthday and before school entry; 3 doses Td for 7 years of age or older
North Dakota	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td for 7 years of age or older
Ohio	K-12	4 doses; 3 doses if 3rd dose after 6 years of age
Oklahoma	K-12	K-2: 5 doses unless 4th dose given after age 4 years; Grades 6-12: 3 doses
Oregon**	K-12	5 doses DT unless 4th dose given after 4th birthday; pertussis not required
Pennsylvania**	K-12	4 doses DT with 1 dose on or after 4th birthday for original entry in K or 1; 3 doses T and D for all other grades; pertussis not required
Puerto Rico	K-12	5 doses
Rhode Island	K-12	5 doses, unless 4 <sup>th</sup> dose after age 4 years: 3 doses Td if 7 years of age or older; Td booster 7 <sup>th</sup> grade as of 8/1/99
South Carolina	K-12	3 doses, 1 dose after 4th birthday
South Dakota	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td for 7 years of age and older
Tennessee	K-12	4 doses
Texas**	K-12	4 doses DT, 1 dose after 4th birthday; 10 year Td booster; pertussis not required
Utah	K-12	5 doses if born after 7/1/86; 4 doses if 4th dose after 4th birthday
Vermont**	K-12	3 doses with 6 months between 2nd and 3rd dose; 10 year Td booster; pertussis not required
Virginia	K-12	3 doses, 1 dose after 4th birthday
Washington	K-12	4 doses, 1 dose after 4th birthday; 3 doses Td for age 7 or older
West Virginia	New Entrants	3 doses, 1 dose after 4th birthday
Wisconsin	K-12	4 doses, 1 dose required after 4 <sup>th</sup> birthday for kindergarten entry
Wyoming	K-12	4 doses, new entrants must have 1 dose after 4th birthday

\*Pertussis vaccine is only required through age 6 years \*\*No pertussis vaccine required \*\*\*No tetanus toxoid required

# DIPHTHERIA, TETANUS AND ACCELLULAR PERTUSSIS IMMUNIZATION REQUIREMENTS FOR GRADES K-12 2001-2002 SCHOOL YEAR




**Measles, Mumps, and Rubella (MMR)  
Immunization Requirements For Day Care (DC)  
Head Start (HS) and Grades K-12  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS, K-12	1 dose after 1 <sup>st</sup> birthday
Alaska	DC, HS, K-12	1 dose of MMR after 1st birthday; DC, HS - age appropriate
Arizona	DC, HS, K-12	1 dose after 1st birthday
Arkansas	DC, HS, K-12	DC, HS: 1 dose MMR after 1st birthday; K-12: 2 doses MCV with 1 dose after 1st birthday and 1 dose each rubella and mumps
California	DC, HS, K-12	1 dose after 1st birthday; mumps not required at 7 years of age or older
Colorado	DC, HS, K-12	1 dose after 1st birthday; required at 15 months of age
Connecticut	DC, HS, K-12	1 dose after 1st birthday
Delaware	DC, HS, K-12	Measles after 15 months; mumps and rubella after 12 months of age
Dist. of Col.	DC, HS, K-12	1 dose after 15 months of age
Florida	DC, HS, K-12	1 dose after 1st birthday
Georgia	DC, HS, K-12	1 dose after 1st birthday
Hawaii	DC, HS, K-12	1 dose after 1st birthday
Idaho	DC, HS, K-12	HS, K-12: 1 dose after 1st birthday; DC: 1 dose after 15 months of age
Illinois	DC, HS, K-12	1 dose after 12 months of age
Indiana	DC, HS, K-12	1 dose after 1st birthday
Iowa*	K-12	1 dose MR after 15 months of age; mumps not required
Kansas	DC, HS, K-12	1 dose after 1st birthday
Kentucky	DC, HS, K-12	MMR after 1st birthday
Louisiana	DC, HS, New Entrants (K-12)	1 dose after 1st birthday
Maine	DC, HS, K-12	1 dose after 1st birthday
Maryland	DC, HS, K-12	1 dose after 1st birthday
Massachusetts	DC, HS, K-12	1 dose after 1st birthday
Michigan	DC, HS, New Entrants (K-12)	1 dose after 1st birthday, all 6 <sup>th</sup> grade beginning 2002-03 school year
Minnesota	DC, HS, K-12	1 dose after 1st birthday
Mississippi	DC, HS, K-12	1 dose after 1st birthday
Missouri	DC, HS, K-12	1 dose after 1st birthday
Montana	DC, HS, K-12	1 dose after 1st birthday
Nebraska	DC, HS, K-12	1 dose after 1st birthday
Nevada	DC, HS, K-12	1 dose after 1st birthday
New Hampshire	DC, HS, K-12	1 dose after 1st birthday
New Jersey	DC, HS, K-12	1 dose after 1st birthday
New Mexico	DC, HS, K-12	1 dose after 1st birthday
New York	DC, HS, K-12	1 dose after 1st birthday
North Carolina	DC, HS, K-12	1 dose after 1st birthday
North Dakota	DC, HS, K-12	1 dose after 1st birthday
Ohio	DC, HS, K-12	1 dose after 1st birthday
Oklahoma	DC, HS, K-12	1 dose after 1 <sup>st</sup> birthday; DC, HS, K-11: 2 doses age appropriate
Oregon	DC, HS, K-12	1 dose after 1st birthday
Pennsylvania	DC, HS, K-12	DC, HS: 1 dose after 1st birthday; K-12: 2 doses
Puerto Rico	DC, HS, K-12	1 dose after 1st birthday
Rhode Island	DC, HS, K-12	1 dose after 1st birthday
South Carolina	DC, HS, K-12	1 dose after 1st birthday
South Dakota	DC, HS, K-12	1 dose after 1st birthday
Tennessee	DC, HS, K-12	1 dose after 1st birthday
Texas	DC, HS, K-12	1 dose after 1st birthday
Utah	DC, HS, K-12	1 dose after 1st birthday
Vermont*	DC, HS, K-12	K-12: 1 dose MR after 1st birthday, mumps not required; DC, HS: age appropriate
Virginia	DC, HS, K-12	1 dose after 1st birthday
Washington	DC, HS, K-12	1 dose after 1st birthday
West Virginia*	DC, K-12	1 dose MR after 1st birthday; mumps not required
Wisconsin	DC, HS, K-12	1 dose after 1st birthday
Wyoming	DC, HS, K-12	1 dose on or after 12 months of age

\*Mumps not required  
MCV = Measles-Containing Vaccines

# MEASLES, MUMPS AND RUBELLA IMMUNIZATION REQUIREMENTS FOR DAY CARE AND HEAD START, AND GRADES K-12, 2001-2002 SCHOOL YEAR



**Second Dose Measles  
Immunization Requirements For Grades K-12  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	K-12	Required prior to school entry
Alaska*	K-12	2 doses MMR after 1 <sup>st</sup> birthday required prior to entry
Arizona	K-3, 7-8	Required for K-12; phase in all grade levels by 2000-2005 school year
Arkansas	K-12	2 MCV: 1st dose on/after 1st birthday and 2nd dose after 28 days
California	7	Required for entry into Grade 7 effective July 1, 1999
Colorado	K-1, 7-12	Required for students in grades listed
Connecticut	K, 7	Required prior to entry
Delaware	K-12	K: after 4th birthday; grades 1-12: new entrants
Dist. of Col.*	K-1, 7-12	2nd dose after 4th birthday
Florida	K-6, 7-11	Required prior to entry
Georgia	K & 6	Required prior to entry; new entrants
Hawaii	K-12	Required prior to entry
Idaho		
Illinois	K-12	Required prior to entry
Indiana	K-2, 6-12	Required prior to entry to grade 6; all new enterers for K or grade 1
Iowa	K-5	Required prior to entry as of 7/3/91
Kansas*	K-12	MMR required prior to entry
Kentucky	K, 6	Required prior to entry in grade 6, or if born after 10/1/90 and entering K
Louisiana	New Entrants	Required prior to entry
Maine	K-8	Required Fall 1997
Maryland	K-12	Required prior to entry
Massachusetts	K-12	Required prior to entry
Michigan	New Entrants	2 <sup>nd</sup> Dose required at least 28 days or more after 1 <sup>st</sup> dose; all 6 <sup>th</sup> grade beginning 2002-2003 school year
Minnesota*	7-12	MMR required prior to entry
Mississippi	K-12	Required prior to entry
Missouri	K-11	Required prior to entry
Montana*	6 or 7	MMR required prior to entry
Nebraska	K -12	July 2001 2 <sup>nd</sup> dose at least 28 days after first dose (on or after 1 <sup>st</sup> birthday)
Nevada	K-1	Required prior to entry
New Hampshire	7-12	Required prior to entry
New Jersey	K-1	Required prior to entry; and all students born after 1/1/90
New Mexico	New Entrants	Required for school entry at 4-6 years of age
New York	K-12	All students born after 1/1/85
North Carolina	K-1	Required prior to entry
North Dakota*	K-9	MMR required prior to entry
Ohio	7	Required prior to entry
Oklahoma	K-11	2 doses MMR on or after 1 <sup>st</sup> birthday
Oregon	K-3, 7-8	Phase in all grade levels by 2005-2006 school year
Pennsylvania	K-12	Required prior to entry
Puerto Rico*	K-12	Required prior to entry
Rhode Island	K-12	MMR required prior to entry
South Carolina	K-12	Required prior to entry
South Dakota	K-12	Required prior to entry
Tennessee*	K-12	Required prior to entry
Texas	K-12	Required by age 12 years and 1 month for those born on or after 9/1/78
Utah	K-12	Required prior to entry in K-12 after 7/1/99
Vermont	K -12	Required prior to entry
Virginia	K, 6	Required prior to entry
Washington	K- 1, 6, 7-12	New entry 2 measles after 1st birthday
West Virginia	K	Required prior to entry
Wisconsin*	K-12	MMR required prior to entry
Wyoming*	K, 7, 12	MMR Required prior to entry; also required of all transfer students

\*Mumps and Rubella vaccine also required

MCV = Measles-Containing Vaccines

# SECOND DOSE MEASLES REQUIREMENT, 2001-2002 SCHOOL YEAR




**Polio Immunization Requirements  
For Day Care (DC) and Head Start (HS)  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS	1 dose on admission; age appropriate
Alaska	DC	<6yrs of age; 1 dose after 4 years of age
Arizona	DC, HS	4 doses unless 3rd dose after 4th birthday, then 3 doses
Arkansas	DC, HS	Age appropriate
California	DC, HS	3 doses with 1 dose after 2nd birthday
Colorado	DC, HS	3 doses, age appropriate
Connecticut	DC, HS	<18 months: age appropriate; >18 months: 3 doses
Delaware	DC, HS	Age appropriate
District of Columbia	DC, HS	OPV: 4 doses prior to 4th birthday, unless 4th dose after 4th birthday; IPV: 2 doses prior to 12 months of age, 3 doses after 1st birthday unless 3rd dose given after 4th birthday; 5 doses if 4 doses given prior to 4th birthday
Florida	DC, HS	Age appropriate
Georgia	DC, HS	Age appropriate
Hawaii	DC, HS	Age appropriate up to 3 doses
Idaho	DC, HS	3 or more doses, or age appropriate
Illinois	DC, HS	2 doses by 1 year of age; 3 doses if 24 months of age or older
Indiana	DC, HS	6 months to 23 months: 2 doses; 24 months to 6 years: 3 doses
Iowa	DC	3 doses
Kansas	DC, HS	4 doses unless 3rd dose after 4th birthday, then 3 doses
Kentucky	DC, HS	4 doses or age appropriate, unless 3 <sup>rd</sup> dose after 4th birthday
Louisiana	DC, HS	Age appropriate
Maine	DC, HS	Age appropriate
Maryland	DC, HS	3 doses
Massachusetts	DC, HS	>3 doses; age appropriate
Michigan	DC, HS	Age appropriate up to 3 doses
Minnesota	DC, HS	Under 15 months of age: age appropriate; 15 months to 4 years old: 3 doses; ≥4 years: 4 doses
Mississippi	DC, HS	Age appropriate
Missouri	DC, HS	Age appropriate
Montana	DC, HS	Age appropriate
Nebraska	DC, HS	Age appropriate up to 3 doses
Nevada	DC, HS	Age appropriate
New Hampshire	DC, HS	3 doses; age appropriate
New Jersey	DC, HS	3 doses; age appropriate; or 4 doses
New Mexico	DC, HS	One of the 3 ACIP recommended schedules
New York	DC, HS	3 doses; age appropriate
North Carolina	DC, HS	4 doses required unless 3 <sup>rd</sup> dose given after 4 <sup>th</sup> birthday
North Dakota	DC, HS	Age appropriate (minimum of 3 doses)
Ohio	DC, HS	3 doses
Oklahoma	DC, HS	4 doses or age appropriate, unless 3 <sup>rd</sup> dose given after 4 <sup>th</sup> birthday
Oregon	DC, HS	3 doses; age appropriate
Pennsylvania	DC, HS	Age appropriate
Puerto Rico	DC, HS	Age appropriate
Rhode Island	DC, HS	Age appropriate
South Carolina	DC, HS	Age appropriate
South Dakota	DC, HS	DC: ACIP recommendations; HS: age appropriate
Tennessee	DC, HS	Age appropriate
Texas	DC, HS	Age appropriate up to 3 doses, with 1 dose after 4 years of age
Utah	DC, HS	Age appropriate
Vermont	DC, HS	Age appropriate
Virginia	DC, HS	Age appropriate (minimum of 3 doses)
Washington	DC, HS	Age appropriate
West Virginia	DC	Age appropriate
Wisconsin	DC, HS	5-23 months: 2 doses; 2-4 years: 3 doses
Wyoming	DC, HS	Age appropriate



# POLIO IMMUNIZATION REQUIREMENTS FOR DAY CARE AND HEAD START 2001-2002 SCHOOL YEAR



**Polio Immunization Requirements  
For Grades K-12  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	K-12	3 doses, last dose after 4th birthday
Alaska	K-12	≤6 years of age: 3 doses, last dose after 4th birthday; >6 years of age: 3 doses
Arizona	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Arkansas	K-12	3 doses, last dose after 4th birthday
California	K-12	3 doses, last dose after 2nd birthday
Colorado	K-12	New entrants: 4 doses; 3 doses if 3rd dose on or after the 4th birthday
Connecticut	K-12	3 doses; last dose after 4th birthday
Delaware	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Dist. of Col.	K-12	OPV or IPV 3 doses until 18 years of age; IPV-OPV schedule follows IPV schedule only
Florida	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Georgia	K-12	3 doses, last dose on or after 4th birthday
Hawaii	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses; 4 doses if combination IPV/OPV administered
Idaho	K-12	3 doses
Illinois	K-12	3 doses, last dose after 4th birthday
Indiana	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Iowa	K-12	3 doses, last dose after 4th birthday
Kansas	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Kentucky	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Louisiana	New Entrants	4 doses, last dose after 4th birthday
Maine	K-12	Age appropriate
Maryland	K-12	3 doses
Massachusetts	K-12	4 doses unless 3rd dose given after 4th birthday; 4 doses required if IPV/OPV sequential schedule given
Michigan	New Entrants	3 doses, last dose after 4th birthday, all 6th grade beginning 2002-03 school year
Minnesota	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Mississippi	K-12	3 doses, last dose after 4th birthday
Missouri	K-12	3 doses, last dose after 4th birthday
Montana	K-12	3 doses, last dose after 4th birthday
Nebraska	K-12	3 doses
Nevada	K-12	3 doses, last dose after 4th birthday
New Hampshire	K-12	3 doses, last dose after 4th birthday
New Jersey	K-12	3 doses, last dose after 4th birthday; or 4 doses
New Mexico	K-12	3 doses if all OPV or all IPV; 4 doses if combination
New York	K-12	3 doses
North Carolina	K-12	4 doses if last dose after 4th birthday and before school entry; 3 doses if 3rd dose after 4th birthday
North Dakota	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Ohio	K-12	4 doses unless 3rd dose after 4th birthday
Oklahoma	K-12	Grades K-5: 4 doses unless 3rd dose after 4th birthday; grades 6-12: 3 doses
Oregon	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Pennsylvania	K-12	3 doses
Puerto Rico	K-12	4 doses
Rhode Island	K-12	K-new entrants: 4 doses; ≤7 years of age: 3 doses
South Carolina	K-12	3 doses, last dose after 4th birthday
South Dakota	K-12	3 doses, at least 1 dose after 4th birthday
Tennessee	K-12	4 doses, 1 dose after 4th birthday
Texas	K-12	3 doses, last dose after 4th birthday; required through age 17 years only
Utah	K-12	4 doses if born after 7/1/93; 3 doses if 3rd dose received after 4th birthday
Vermont	K-12	3 doses with 6 months between 2nd and subsequent dose
Virginia	K-12	3 doses, last dose after 4th birthday
Washington	K-12	3 doses, last dose after 4th birthday
West Virginia	New Entrants	3 doses, last dose after 4th birthday
Wisconsin	K-12	4 doses unless 3rd dose after 4th birthday, then 3 doses
Wyoming	K-12	4 doses; new entrants must have 4th dose after 4th birthday


# POLIO IMMUNIZATION REQUIREMENTS FOR K-12 2001-2002 SCHOOL YEAR



**Haemophilus Influenzae Type B  
Immunization Requirements  
For Day Care (DC) and Head Start (HS)  
2001-02 School Year**

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS	Age appropriate
Alaska	DC, HS	Age appropriate
Arizona	DC, HS	4 doses or age appropriate
Arkansas	DC, HS	Age appropriate
California	DC, HS	1 dose on or after 1st birthday
Colorado	DC, HS	3 doses age appropriate or 1 dose after 15 months
Connecticut	DC, HS	Age appropriate
Delaware	DC, HS	Advisory Committee on Immunization Practices (ACIP) recommendations
Dist. of Col.	DC, HS	3 or 4 doses depending on manufacturer; if off schedule, less doses may be required based on age
Florida	DC, HS	Age appropriate
Georgia	DC, HS	4 doses or age appropriate
Hawaii	DC, HS	1 dose on or after 1st birthday
Idaho	DC	3 doses or age appropriate
Illinois	DC, HS	Age appropriate or at least 1 dose after 15 months
Indiana	DC, HS	1 dose on or after 1st birthday
Iowa	DC, HS	2-18 months: at least 1 dose required; 18 months or older: 3 doses required; or 1 dose after 15 months of age
Kansas	DC, HS	Age appropriate
Kentucky	DC, HS	Age appropriate, or at least one dose after 15 months
Louisiana	DC, HS	Age appropriate
Maine	DC, HS	Age appropriate
Maryland	DC, HS	Age appropriate
Massachusetts	DC, HS	3 or 4 doses depending on vaccine; age appropriate
Michigan	DC, HS	Age appropriate, or at least 1 dose after 15 months
Minnesota	DC, HS	Age appropriate
Mississippi	DC, HS	Age appropriate
Missouri	DC, HS	Age appropriate
Montana	DC, HS	Age appropriate
Nebraska	DC, HS	Age appropriate up to 3 doses
Nevada	DC, HS	Age appropriate
New Hampshire	DC, HS	Age appropriate
New Jersey	DC, HS	< 1 year: 2 doses; or at least 1 dose after 12 months
New Mexico	DC, HS	At least 1 dose at 15-59 months of age
New York	DC, HS	Age appropriate or at least 1 dose after 15 months of age
North Carolina	DC, HS	Age appropriate; >15 months to 5 years of age: 1 dose
North Dakota	DC, HS	Age appropriate
Ohio	DC, HS	Age appropriate
Oklahoma	DC, HS	Age appropriate
Oregon	DC, HS	Up to 4 doses depending on age at time of previous dose
Pennsylvania	DC, HS	Age appropriate
Puerto Rico	DC, HS	At least one if received after 15 months of age
Rhode Island	DC, HS	Age appropriate
South Carolina	DC, HS	Age appropriate
South Dakota	DC, HS	HS: 1 dose after 1st birthday; DC: age appropriate
Tennessee	DC, HS	Age appropriate
Texas	DC, HS	3 doses-age appropriate, or 1 dose after 15 months
Utah	DC, HS	Age appropriate
Vermont	DC, HS	Age appropriate
Virginia	DC, HS	DC (2-30 months): age appropriate
Washington	DC, HS	Age appropriate
West Virginia	DC	1 dose
Wisconsin	DC, HS	5-11 months of age: 2 doses, 12 months-4 years of age: 3 doses
Wyoming	DC, HS	18-60 months: 1 dose


**HAEMOPHILUS INFLUENZAE TYPE B  
IMMUNIZATION REQUIREMENTS FOR  
DAY CARE AND HEAD START,  
2001-2002 SCHOOL YEAR**



## Hepatitis B Requirements for Day Care (DC), Head Start (HS), and Grades K-12 2001-02 School Year

State	Grade	Dosage Requirements and Comments
Alabama		
Alaska	DC, HS, K-12	DC & HS: age appropriate; K-12: 3 doses required prior to entry
Arizona	K-3, 7-8	DC, HS: age appropriate; 1 dose required to enter, must be up to date for continued attendance; each year, additional two grades will be required to have vaccine and all grade levels phased in by school year 2005-2006
Arkansas	DC, HS, K-12	DC, HS: age appropriate; K, 7, transfer students: 3 doses
California	7	Required for entry to grade 7 as of 7/1/99
Colorado	K - 4, 7-11	3 doses required: the 2 dose vaccine series is acceptable for ages 11-15 with proper documentation of dosage and the appropriate vaccine for the 2 dose series
Connecticut	DC, HS, K, 7, 8	DC, HS, K: 3 doses if born after 12/31/93; 1 dose required for grade 7 beginning Fall 2000; 3 doses required for grade 8 entry beginning Fall 2001
Delaware	DC, K-3, 8-11	Age appropriate
Dist. of Col.	DC, HS, K-11	Age appropriate
Florida	PK, K-3, 7-11	3 doses required; alternate 2 dose schedule acceptable for 11-15 years of age
Georgia	DC, HS, K-12	DC, HS: age appropriate; K-12: 3 doses new entrants
Hawaii	DC, HS, K-12	DC, HS: 3 doses for all children over 18 months; K-12: 3 doses if born after 12/31/92; grade 7: 3 doses required after 7/1/02
Idaho	DC, K-12	3 doses required if born after 11/22/91 and preschool enrollees
Illinois	DC, HS, 5-9	3 doses prior to entry; all students who have entered the 5th grade on or after July 1997 (grades 5-9)
Indiana	K-2	3 doses
Iowa	K	3 doses if born after 7/1/94
Kansas	HS	3 doses required for all enrollees
Kentucky	6	3 doses for 6th grade entry
Louisiana	K-12	K; new school entrants
Maine		
Maryland	HS, DC, K-12	DC, HS: age appropriate; K: 3 doses
Massachusetts	DC, HS, K-5, 7-9	DC, HS, K-5: 3 doses required for all children born after 1/1/92; grades 7-9: 3 doses
Michigan	DC, HS, K-12	DC, HS: required 1/1/97; new school enterers: 3 doses; K-12: 3 doses required and all 6th grade students beginning 2002-03 school year
Minnesota	K, 7	3 doses required
Mississippi	K, 1	3 doses required
Missouri	DC, HS, K-4, 7-9	Required for all children born since 1/1/90; grades K-4, 7-9: 3 doses
Montana		
Nebraska	K, 7	K, 7: 3 doses; also required for students transferring in from another state
Nevada	K-12	New school entrants
New Hampshire	DC, HS, K-12	3 doses if born after 1/1/93
New Jersey	K, 6	K: born after 1/1/96; 6th grade: born after 1/1/90
New Mexico	7	7th grade: 3 doses beginning 9/1/99; K and new entrants after 9/1/2002
New York	DC, HS, K-12	DC, HS: 3 doses if born after 1/1/95 3 doses required if born on or after 1/1/93. Required for all enterers to grades 7-8 (appropriate # of doses based on vaccine used)
North Carolina	DC, HS, K-12	3 doses if born after 7/1/94
North Dakota	K-1	3 doses; additional cohort added each year
Ohio	DC, HS, K-2	3 doses
Oklahoma	DC, HS, K-3, 7-11	DC, HS: 3 doses or age appropriate; K-3: 3 doses; grades 7-11: 2 or 3 doses (based on vaccine used); 12th grade: no requirement
Oregon	DC, HS, K-3, 7-8	DC, HS: 1 dose required to enter, must be up to date for continued attendance; each year additional two grades will be required to have vaccine; all grade levels phased in by school year 2005-2006
Pennsylvania	DC, HS, K, 7	DC, HS: 3 doses or age appropriate; K: new entry
Puerto Rico	DC, HS, K-12	DC: age appropriate; HS, K-12: 3 doses
Rhode Island	DC, HS, K, 7	DC, HS: 3 doses or age appropriate; K: 3 doses required as of 8/1/99; Grade 7: 3 doses as of 8/1/2000
South Carolina	DC, HS, K-4, 7-10	3 doses or age appropriate
South Dakota	HS	3 doses
Tennessee	DC, HS, K	K: 3 doses; DC, HS: 3 doses or age appropriate if born after 9/1/1997
Texas	K-12	3 doses required by 30 days after 12th birthday for those born between 9/2/88-9/1/92; 3 doses required at 5 years of age for those born on or after 9/2/92
Utah	K-2	3 doses prior to school entry
Vermont	7, 8, 9	9/02: grades 7-10; 9/03: grades 7-11; 9/04: grades 7-12
Virginia	DC, HS, K, 6	All children born on or after 1/1/94; complete series required for entry into 6th grade as of 7/1/01
Washington	DC, HS, K-4	3 doses required for all attendees entering after 9/30/97; grade 3 required as of 9/1/00; grade 4 required as of 9/1/01
West Virginia		
Wisconsin	K-4, 7-11	3 doses
Wyoming	DC, HS, K-2, 7-10	3 doses if born after 1/1/96; K-2 and grades 7-10: 3 doses

# HEPATITIS B IMMUNIZATION REQUIREMENTS FOR DAY CARE, HEAD START, AND GRADES K-12, 2001-2002 SCHOOL YEAR



## Varicella Requirements for Day Care (DC), Head Start (HS), and K-12 2001-02 School Year

State	Grade	Dosage Requirements and Comments
Alabama	DC, HS, K	DC, HS: after 1st birthday; K: required for entry 2001
Alaska	DC, HS	≥1 year of age: 1 dose
Arizona		
Arkansas	DC, HS, K	DC, HS: age appropriate, history of disease; K: history of disease in lieu of vaccine
California	DC, HS, K-12	DC, HS: 18 months-4 years of age: 1 dose or physician documented disease history; K-12: 1 dose or physician documented disease history is required for kindergarten entry; out of state entrants new to CA schools <13 years of age: 1 dose; out of state entrants ≥13 years of age: 2 doses
Colorado	DC, HS, K-1	Required at 18 months of age or history of disease; required for K and 1 <sup>st</sup> grade or history of disease
Connecticut	DC, HS, K, 7	DC, HS, K: if born on or after 1/1/97 must show proof of immunity for entry; grade 7: Proof of immunity required for entry
Delaware		
Dist. of Col.	DC, HS, K-11	Age appropriate
Florida	DC, HS, PK, K	1 dose or history of disease (physician diagnosed or parental recall) acceptable
Georgia	DC, HS, K-12	DC, HS: 12 months; K-12: new entrants and 6th grade
Hawaii	DC, HS, K-12	DC, HS: 1 dose if child is <19 months; K, 7: required for school entry; all new enterers
Idaho		
Illinois		
Indiana		
Iowa		
Kansas		
Kentucky	DC, HS, 1	≥19 months to <7 years of age: 1 dose
Louisiana		DC, HS: will be required fall 2003, K -12: will be required fall 2003 and new entrants
Maine		
Maryland	DC, HS, K-12	DC, HS: 1 dose after the first birthday; K: 1 dose
Massachusetts	DC, HS, K-2, 7-9	DC, HS: all attendees born on or after 1/1/97 who are at least 19 months of age or older; K-2, 7-9: 1 dose; 2 doses if the child is ≥13 years of age
Michigan	DC, HS	DC, HS: required after 1/1/2000; K-12: new entrants in 2002-03 school year; grade 6: 2002-03 school year
Minnesota		
Mississippi	DC, HS, K-1	Beginning 2002-03 school year
Missouri	DC, HS	Age appropriate
Montana		
Nebraska		
Nevada	K-12	Effective 7/1/03 for new school entrants
New Hampshire		
New Jersey		
New Mexico		
New York	DC, HS, K	DC, HS: all attendees born on or after 1/1/2000; K: all attendees born on or after 1/1/98 and entering kindergarten in Sept. 2003
North Carolina		1 dose on or after 12 months and before 19 months of age; all children born on or after 4/1/01
North Dakota		
Ohio		
Oklahoma	DC, HS, K-3	1 dose on or after the 1st birthday or parental history of disease
Oregon	DC, HS, K-1, 7-8	K-1, 7-8: each year an additional 2 grades will be required to have vaccine; phase in by 2006-07 school year; parental history of disease
Pennsylvania	DC, HS	Age appropriate
Puerto Rico	DC, HS	Age appropriate for those born after January 1997
Rhode Island	K, 7	Required for K and new entry as of 8/1/99; grade 7 as of 8/1/2000; all students as of 8/1/2005
South Carolina	DC, HS, K-1	Age appropriate
South Dakota	K-12	1 dose after 12 months of age prior to kindergarten entry or parental history of disease
Tennessee	DC, HS	HS: if born on or after 9/1/98
Texas	DC, HS, K-12	DC, HS: 1 dose after 1st birthday; K-12: 1 dose ≤30 days after 12th birthday; 2 doses ≥13 years of age
Utah	K	Required for entry after 7/1/02
Vermont		
Virginia	DC, HS	Born on and after 1/1/97; 1 dose not earlier than 12 months of age (365 days)
Washington		
West Virginia	DC	Beginning 1/1/2000
Wisconsin	DC, HS, K	DC, HS: 2-4 years, 1 dose; K: 1 dose
Wyoming		



## Hepatitis A Requirements for Day Care (DC), Head Start (HS), and K-12 2001-02 School Year

State	Grade	Dosage Requirements and Comments
Alabama		
Alaska	DC, HS, K-12	DC, HS: 2 doses after 2 years of age; K-12: 2 doses
Arizona	DC, HS	2-5 years of age attending licensed or certified DC or HS in Maricopa County
Arkansas		
California		
Colorado		
Connecticut		
Delaware		
Dist. of Col.		
Florida		
Georgia		
Hawaii		
Idaho		
Illinois		
Indiana		
Iowa		
Kansas		
Kentucky		
Louisiana		
Maine		
Maryland		
Massachusetts		
Michigan		
Minnesota		
Mississippi		
Missouri		
Montana		
Nebraska		
Nevada	K-12	New school enterers
New Hampshire		
New Jersey		
New Mexico	K-1	Required in selected counties
New York		
North Carolina		
North Dakota		
Ohio		
Oklahoma	DC, HS, K-3, 7-10	2 doses with 1st dose on or after the 2nd birthday and 2nd dose 6-18 months later
Oregon		
Pennsylvania		
Puerto Rico		
Rhode Island		
South Carolina		
South Dakota		
Tennessee		
Texas	DC, HS, K-12	DC: 2 doses if 3 years or older; HS: 2 doses if 2 years old in the 32 county border area; K-12: 2 doses if 5 years or older in the 32 county border area
Utah	K	Required for K entry after 7/1/02
Vermont		
Virginia		
Washington		
West Virginia	DC	Beginning 1/1/2000
Wisconsin		
Wyoming		

## College and University Immunization Requirements 2001-02 School Year

State	Vaccines	Dosage Requirements and Comments
Alabama		
Alaska		
Arizona	MMR, M2	MMR2: State universities only; medical and nursing students: Hep B, Var, 10 year Td booster
Arkansas	MR	All enrollees housed on campus and all full time students
California		
Colorado	MMR, MMR2	All enrollees born after 1/1/57; if student received a 2nd measles dose prior to July 1, 1992, the 2nd rubella and mumps doses are not required
Connecticut	MR, M2	All full time or part time matriculated students
Delaware	MMR, M2	All freshman and new enrollees
Dist. of Col.	Td, MMR, MMR2, P	All enrollees under 26 years of age; polio: if under 19 years of age
Florida	MR, M2	All freshman and new enrollees in public universities
Georgia	MMR, M2, R	All enrollees
Hawaii	MMR, M2	All enrollees
Idaho		
Illinois	Td, MMR, M2	All freshman and new enrollees (enrolled half-time or more), attending 4-year post-secondary educational institutions, born on or after 1/1/57; public universities with no on-campus housing facilities are exempt
Indiana	Td, MMR, M2	All freshman and new enrollees
Iowa		
Kansas		
Kentucky		
Louisiana	Td, MMR, M2	All freshman and new enrollees
Maine	Td, MMR	All attendees born after 1956
Maryland	O	Meningococcal vaccine required
Massachusetts	Td, MMR, M, Hep B	Td, MMR, M: All full-time enrollees; Hep B: all full and part-time health science majors and all full-time freshmen
Michigan		
Minnesota	Td, MMR, Hep B, IPV, Hep A	All Minnesota H.S. graduates <1997 and all out-of-state enrollees born after 1956
Mississippi	Td, MMR, M2, Hep B & A, IPV, VAR,	MMR, M2: new enrollees at state 4-year colleges; Hep B: if potential exposure to body fluids
Missouri		
Montana	MMR, M2, IPV	MMR: all enrollees; MMR, M2: full time enrollees born after 1957
Nebraska		
Nevada	Td, M, M2, Hep B, IPV, VAR, Hep A	All enrollees born after 1/1/57 attending state public colleges; Hep B: required for medical and nursing students before clinical practice
New Hampshire		
New Jersey	MMR, M2	New enrollees of 4 year colleges and 2 year colleges (with 12 credit hours) born after 1956
New Mexico		
New York	Td, MMR, M2, VAR, IPV, Hep B & A	MMR, MR: all enrollees
North Carolina	Td, MMR, M2, VAR, IPV, Hep A, Hep B	Td, MMR, M2: freshman/new enrollees; IPV, VAR, Hep A, Hep B: not required
North Dakota	MMR, MMR2	All enrollees born after 1/1/57
Ohio		
Oklahoma		
Oregon	M, M2	Full-time enrollees in 4-year and certain students in community colleges born on or after 1/1/57
Pennsylvania		
Puerto Rico	Td, M, M2, Hep A, MU, R, IPV, VAR	All freshman/new enrollees
Rhode Island	MR, Hep B, VAR, R, M, M2	R, M, M2: all students born after 1956; VAR: freshman/new enrollees; Hep B: freshman/new enrollees and all students in health care
South Carolina	Td, MMR, M2, VAR, IPV, Hep A, Hep B	Td, M, M2, R: freshman/new enrollees; M2: if born after 1956; Hep B: if potential exposure to body fluids; IPV, Var, Hep A: not required
South Dakota	MR, M2	State colleges mandate all new freshmen, newly admitted graduate students, transfers, special students (residing on campus) and returning former students born after 1956, to have serological evidence of positive measles antibody titer or have 2 doses MMR spaced 30 days apart
Tennessee	Td, MMR, MMR2, R, IPV, VAR, Hep A, Hep B	All attendees
Texas	Td, MMR, M2, O, VAR	Td, M, Mu, M2: health students if born on or after 1/1/57; R: all ages; Hep B: medical & dental residents; rabies: veterinary medicine students
Utah	MMR, M2	University of Utah only; Hep B: nursing students in all schools
Vermont	M, M2	All new enrollees; M2: all foreign, cosmetology, and health science students
Virginia	Td, MMR, M2	Freshman and new enrollees in 4-year public colleges and universities
Washington		
West Virginia	MR	Freshman and new enrollees
Wisconsin		
Wyoming	M, M2	MMR, M2 recommended for all enrollees

Hep B: Hepatitis B, Hep A: Hepatitis A, IPV: Inactivated polio, M: measles 1<sup>st</sup> dose, M2: measles 2<sup>nd</sup> dose, MMR: measles, mumps and rubella, MU: mumps, O: other  
P: Polio, R: rubella, Td: Tetanus and diphtheria, VAR: varicella

# COLLEGE AND UNIVERSITY IMMUNIZATION REQUIREMENTS FOR 2001-2002 SCHOOL YEAR



**Physician Diagnosis of Disease Accepted as Evidence of Immunity  
2001-02 School Year**

	<input type="checkbox"/> Dx Accepted	<input type="checkbox"/> Dx Not Accepted	<input type="checkbox"/> N/A - Not Applicable								
State	Diphtheria	Tetanus	Pertussis	Measles	Mumps	Rubella	Polio	Hep B	Hep A	Pneumo	VAR
Alabama				YES							YES
Alaska											
Arizona										N/A	N/A
Arkansas	YES	N/A	YES	YES	YES	YES	YES	YES	N/A	N/A	YES
California		YES	YES	YES	YES	YES	YES	YES	N/A	N/A	YES
Colorado									N/A	N/A	YES
Connecticut											YES
Delaware								YES			YES
Dist. of Col.											YES
Florida				YES						N/A	YES
Georgia	N/A	N/A	YES	YES	YES	YES	N/A	N/A	N/A	N/A	YES
Hawaii									N/A	N/A	YES
Idaho				YES	YES						
Illinois				YES	YES			YES	N/A	N/A	N/A
Indiana				YES	YES				N/A	N/A	N/A
Iowa	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Kansas											
Kentucky											YES
Louisiana	YES	YES	YES	YES	YES	YES	YES	YES			
Maine											
Maryland		YES							N/A	N/A	YES
Massachusetts											YES
Michigan									N/A	N/A	YES
Minnesota	YES	YES	YES	YES	YES	YES	YES	YES	N/A	N/A	N/A
Mississippi				YES			N/A				
Missouri											YES
Montana				YES							YES
Nebraska											
Nevada					YES						YES
New Hampshire					YES						N/A
New Jersey								YES	N/A	N/A	N/A
New Mexico								YES			
New York	N/A	N/A	N/A	YES	YES		N/A	N/A	N/A	N/A	YES
North Carolina											
North Dakota											
Ohio				YES	YES						
Oklahoma				YES						N/A	YES
Oregon			N/A	YES	YES	YES		YES	N/A	N/A	YES
Pennsylvania			N/A		YES				N/A	N/A	YES
Puerto Rico			YES	YES	YES	YES		YES	N/A	YES	YES
Rhode Island											YES
South Carolina		YES		YES			YES	YES	YES		YES
South Dakota				YES							
Tennessee				YES	YES						
Texas											YES
Utah									N/A	N/A	N/A
Vermont				YES		N/A			N/A	N/A	N/A
Virginia			N/A	YES					N/A		YES
Washington	YES						YES				YES
West Virginia	YES	YES	YES	YES	N/A		YES	N/A	N/A	N/A	N/A
Wisconsin											YES
Wyoming	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

Pneuo – Pneucoccal Conjugate Vaccine VAR - Varicella

**Immunization Documentation Requirements for Day Care,  
Head Start, K-12, and College 2001-02 School Year**

	Required		Not Required			
STATE	DOSE & YEAR	APPLICABLE VACCINE	DOSE & M/YR	APPLICABLE VACCINE	DOSE M/D/Y	APPLICABLE VACCINE
Alabama						ALL
Alaska						DTaP/OPV/MMR/VAR Hep A/Hep B/Hib
Arizona				DTaP/Polio/HIB/Hep A Hep B/VAR		MMR All in 2003
Arkansas						ALL
California				Hep B/VAR/DTaP Polio/HIB		MMR
Colorado				DTaP/Td/Polio/Hep B		MMR/VAR/HIB
Connecticut						ALL
Delaware						ALL
Dist. of Col.						ALL
Florida						ALL
Georgia						ALL
Hawaii						ALL
Idaho				DTaP/HIB/Hep B/OPV		MMR
Illinois						ALL
Indiana				DTaP/IPV/MMR		Td, MMR
Iowa						ALL
Kansas						ALL
Kentucky						DTaP/Polio/MMR HIB/Hep B/VAR
Louisiana						ALL
Maine				DTaP/OPV/HIB/Hep B VAR		MMR
Maryland				DTaP/Polio/HIB/Hep B		MMR/VAR
Massachusetts				ALL		
Michigan						ALL
Minnesota				DTaP/Td/Polio/HIB MMR/Hep B if given prior to 1/1/90		DTaP/Td/Polio/HIB MMR/Hep B if given prior to 1/1/90
Mississippi						ALL
Missouri						All except Hep A
Montana						ALL
Nebraska				DTaP/OPV/HIB/Hep B		MMR
Nevada						ALL
New Hampshire						ALL
New Jersey						ALL
New Mexico						ALL
New York						ALL
North Carolina						ALL
North Dakota						ALL
Ohio						ALL
Oklahoma				ALL		MMR
Oregon				ALL		
Pennsylvania						ALL
Puerto Rico						ALL except Hep A
Rhode Island						ALL
South Carolina						ALL
South Dakota						ALL
Tennessee						ALL
Texas						DTaP/Polio/HIB Hep B/MMR/VAR
Utah						ALL
Vermont						ALL
Virginia						ALL
Washington						ALL
West Virginia						ALL
Wisconsin						ALL
Wyoming						ALL

All – All vaccines required by individual state laws or regulations

**Exemptions from Immunization Requirements for Day Care, Head Start, K-12,  
and College 2001-02 School Year**

State	Exemption Not Allowed		Exemption Allowed
	MEDICAL	RELIGIOUS	PHILOSOPHICAL
Alabama			NO
Alaska			NO
Arizona			K-12, College only
Arkansas			NO
California			
Colorado			
Connecticut			NO
Delaware			NO
Dist. of Col.			NO
Florida			NO
Georgia			NO
Hawaii			NO
Idaho			
Illinois			NO
Indiana			NO
Iowa			NO
Kansas			NO
Kentucky			NO
Louisiana			
Maine			
Maryland			NO
Massachusetts			NO
Michigan			
Minnesota			
Mississippi		NO	NO
Missouri	School, Day Care	School	Day Care
Montana			NO
Nebraska			
Nevada			NO
New Hampshire			NO
New Jersey			NO
New Mexico			
New York			NO
North Carolina			NO
North Dakota			
Ohio			
Oklahoma			
Oregon			NO
Pennsylvania			NO
Puerto Rico			NO
Rhode Island			NO
South Carolina			NO
South Dakota			NO
Tennessee			NO
Texas			NO
Utah			
Vermont			
Virginia			NO
Washington			
West Virginia		NO	NO
Wisconsin			
Wyoming			NO

**Enforcement of Immunization Requirements for Day Care, Head Start, K-12, and College 2001-02 School Year**

STATE	PENALTY CLAUSE FOR NONCOMPLIANCE			EXCLUSION CLAUSE FOR NONCOMPLIANCE		
	Yes		No	Yes		No
	K-12	Day Care	College	K-12	Day Care	College
Alabama						
Alaska						
Arizona						
Arkansas						
California						
Colorado						
Connecticut						
Delaware						
Dist. of Col.						
Florida						
Georgia						
Hawaii						
Idaho						
Illinois						
Indiana						
Iowa						
Kansas						
Kentucky						
Louisiana						
Maine						
Maryland						
Massachusetts						
Michigan						
Minnesota						
Mississippi						
Missouri						
Montana						
Nebraska						
Nevada						
New Hampshire						
New Jersey						
New Mexico						
New York						
North Carolina						
North Dakota						
Ohio						
Oklahoma						
Oregon						
Pennsylvania						
Puerto Rico						
Rhode Island						
South Carolina						
South Dakota						
Tennessee						
Texas						
Utah						
Vermont						
Virginia						
Washington						
West Virginia						
Wisconsin						
Wyoming						

## Requirements For Rubella Susceptibility Testing and Immunization of Specific Groups 2001-02

	REQUIRED				NOT REQUIRED		
State	RUBELLA SUSCEPTIBILITY TESTING			IMMUNIZATION OF RUBELLA SUSCEPTIBLES			
	Premarital	Hospital Employee	Other	Premarital	Hospital Employee	Other	
Alabama							
Alaska		YES			YES		
Arizona					YES		
Arkansas							
California							
Colorado							
Connecticut	YES						
Delaware					YES		
Dist. of Col.					YES		
Florida							
Georgia	YES						
Hawaii			Perinatal				
Idaho				YES			
Illinois							
Indiana	YES				YES		
Iowa	YES	YES			YES		
Kansas	YES			YES			
Kentucky							
Louisiana							
Maine		YES			YES		
Maryland		YES			YES		
Massachusetts		YES	Perinatal		YES		
Michigan			Perinatal				
Minnesota							
Mississippi							
Missouri							
Montana	YES						
Nebraska							
Nevada		YES	Perinatal		YES	Perinatal	
New Hampshire							
New Jersey		YES					
New Mexico							
New York					YES		
North Carolina							
North Dakota							
Ohio							
Oklahoma		YES			YES		
Oregon							
Pennsylvania							
Puerto Rico		YES			YES	Perinatal	
Rhode Island		YES			YES		
South Carolina							
South Dakota							
Tennessee			Perinatal				
Texas							
Utah							
Vermont							
Virginia							
Washington							
West Virginia							
Wisconsin		YES			YES		
Wyoming							



## HBsAg Screening of Pregnant Women And Reporting Requirements 2001-02

State	Required	Not Required
State	HBsAG Screening of Pregnant Women	Reporting of HBsAG Positive Pregnant Women
Alabama		
Alaska		
Arizona		
Arkansas		
California		
Colorado		
Connecticut		
Delaware		
Dist. of Col.		
Florida		
Georgia		
Hawaii		
Idaho		
Illinois		
Indiana		
Iowa		
Kansas		
Kentucky		
Louisiana		
Maine		
Maryland		
Massachusetts		
Michigan		
Minnesota		
Mississippi		
Missouri		
Montana		
Nebraska		
Nevada		
New Hampshire		
New Jersey		
New Mexico		
New York		
North Carolina		
North Dakota		
Ohio		
Oklahoma		
Oregon		
Pennsylvania		
Puerto Rico		
Rhode Island		
South Carolina		
South Dakota		
Tennessee		
Texas		
Utah		
Vermont		
Virginia		
Washington		
West Virginia		
Wisconsin		
Wyoming		

**Pneumococcal Conjugate or Polysaccharide Vaccine Immunization Requirements Day Care or Head Start 2001-02**

State	Required		Not Required	
	PNEUMOCOCCAL CONJUGATE		POLYSACCHARIDE	
	Day Care	Head Start	Day Care	Head Start
Alabama				
Alaska				
Arizona				
Arkansas				
California				
Colorado				
Connecticut				
Delaware				
Dist. of Col.				
Florida				
Georgia				
Hawaii				
Idaho				
Illinois				
Indiana				
Iowa				
Kansas				
Kentucky				
Louisiana				
Maine				
Maryland				
Massachusetts				
Michigan				
Minnesota				
Mississippi				
Missouri				
Montana				
Nebraska				
Nevada				
New Hampshire				
New Jersey				
New Mexico				
New York				
North Carolina				
North Dakota				
Ohio				
Oklahoma				
Oregon				
Pennsylvania				
Puerto Rico				
Rhode Island				
South Carolina				
South Dakota				
Tennessee				
Texas				
Utah				
Vermont				
Virginia				
Washington				
West Virginia				
Wisconsin				
Wyoming				

