

Polio

2007-2008 Requirements for Childcare

DOSAGE REQUIREMENTS AND COMMENTS	
Alabama	1 dose (age appropriate)
Alaska	3 doses (age appropriate)
American Samoa	3 doses (ages 2,4,6 months); 4 doses (ages 4-6 years)
Arizona	3 doses (age appropriate)
Arkansas	Required (age appropriate)
California	3 doses (age appropriate)
Colorado	3 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 8 months)
Connecticut	Required (age appropriate before age 18 months); 3 doses (after age 18 months)
Delaware	Required (age appropriate)
District of Columbia	4 doses (age appropriate; dose 3 by ages 6-12 months; dose 4 by or before age 4 years; fewer doses required based on age)
Federated States/Micronesia	Did not report requirements
Florida	Required (age appropriate)
Georgia	3-4 doses (or age appropriate)
Guam	1 dose minimum (age appropriate and must receive all follow-up doses by age recommendations)
Hawaii	3 doses (age appropriate)
Idaho	3 doses (age appropriate; more doses may be required)
Illinois	2 doses (by age 1 year); 3 doses (if age 2 years or older)
Indiana	1-3 doses (age appropriate)
Iowa	3 doses
Kansas	4 doses (3 doses if dose 3 after age 4 years)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	3 doses (minimum; age appropriate)
Michigan	Required (age appropriate under age 15 months); 3 doses (ages 15 months-5 years)
Minnesota	Required (age appropriate under age 15 months); 3 doses (ages 15 months-4 years); 4 doses (over age 4 years)
Mississippi	Required (age appropriate)
Missouri	Required (age appropriate following ACIP recommendations)
Montana	Required (age appropriate)
N. Mariana Islands	3 doses
Nebraska	3 doses (maximum; age appropriate)
Nevada	Required (age appropriate)
New Hampshire	3 doses (age appropriate)
New Jersey	2 doses (age appropriate under age 17 months); 3 doses (ages 18 months-4 years)
New Mexico	Required (age appropriate following ACIP recommendations)
New York	3 doses (age appropriate)
North Carolina	Required (age appropriate following ACIP recommendations)
North Dakota	3 doses (minimum; age appropriate)
Ohio	3 doses
Oklahoma	4 doses (age appropriate); 3 doses (if dose 3 given after age 4 years)
Oregon	3 doses (age appropriate)
Palau	Did not report requirements
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Required (age appropriate following ACIP recommendations)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (age appropriate)
Washington	1 dose (ages 3-4 months); 2 doses (ages 5-18 months); 3 doses (at or after age 19 months)
West Virginia	3 doses (age appropriate; dose 3 after age 18 months)
Wisconsin	2 doses (ages 5-23 months); 3 doses (ages 2-4 years)
Wyoming	Required (age appropriate)